


Printing date 28.10.2015

Version number 17

Revision: 28.10.2015



(Contd. on page 2)

ENG



Printing date 28.10.2015

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

	(Contd. of page 1)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
2 3 Other haza	rde

2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

 Dangerous compor 	nents:	
	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	5,0-<10%
EINECS: 234-148-4	Skin Corr. 1B, H314; Eye Dam. 1, H318; () Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	
	Triethylentetramin	5,0-<10%
EINECS: 203-950-6	Skin Corr. 1B, H314; Eye Dam. 1, H318; 4312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 7782-42-5	Graphite	<2,5%
EINECS: 231-955-3	substance with a Community workplace exposure limit	
· Additional informat	tion: For the wording of the listed risk phrases refer to section 16.	<u> </u>

conditions.

SECTION 4: First aid measures

Immediately remove any clothing soiled by the product. Immediately remove any clothing soiled by the product. • After inhalation:
After inholotion:
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· After skin contact:
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
· After eye contact:
Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
 4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 5: Firefighting measures

	1 Extinguishing media iitable extinguishing agents:
Wa	ater spray
Ca	arbon dioxide
Fo	am
Fir	e-extinguishing powder
Us	e fire extinguishing methods suitable to surrounding

(Contd. on page 3)

⁻ ENG



Printing date 28.10.2015

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

(Contd. of page 2)

• 5.2 Special hazards arising from the substance or mixture
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Nitrogen oxides (NOx)
Carbon monoxide (CO)

· 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases. No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent. Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles.

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. Thorough dedusting.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- Keep container tightly sealed.
- Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

112-24-3 Triethylentetramin

MAK (Germany) als Dampf und Aerosol;vgl.Abschn.IV

7782-42-5 Graphite

AGW (Germany) Long-term value: 1,25* 10** mg/m³

2(II);*alveolengängig**einatembar; AGS, DFG

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

ENG



Printing date 28.10.2015

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

rade name: UHU plus black (Härter)	
(Contd. of page 3) • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Avoid direct contact with the chemical/ the product/ the preparation by organisational measures. • Protection of hands:	_
Rubber gloves Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves	
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material	
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:	
Tightly sealed goggles	
SECTION 9: Physical and chemical properties	
 9.1 Information on basic physical and chemical properties General Information Appearance: Form: 	
Form: Structurally viscous	

Structurally viscous	
Black	
Amine-like	
Not determined.	
Not applicable.	
Undetermined.	
278 °C	
135 °C	
Not determined.	
0° 0	
Not determined.	
Product is not selfigniting.	
	(Contd. on page 5
	Black Amine-like Not determined. Not applicable. Undetermined. 278 °C 135 °C 135 °C Not determined. 0 °C Not determined.



Printing date 28.10.2015

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

	(Contd. of page
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	1,008 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0,0 %
VOC (EC)	0,00 %
Solids content:	85,0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

112-24-3 Triethylentetramin

Oral LD50 2500 mg/kg (rat)

- Dermal LD50 805 mg/kg (rabbit)
- · Primary irritant effect:
- Skin corrosion/irritation
 Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 28.10.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

(Contd. of page 5)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

08 04 09^{*} waste adhesives and sealants containing organic solvents or other dangerous substances

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN2735
· 14.2 UN proper shipping name	
ADR	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (I
	(3-aminopropyI)-N,N-dimethylpropane-1,
	diamine, Graphite)
· IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (N'-(
,	aminopropyl)-N,N-dimethylpropane-1,3-diamin
	Graphite)



Printing date 28.10.2015

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

	(Contd. of page
 14.3 Transport hazard class(es) 	
· ADR, IMDG, IATA	
State Stat	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	Ι
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups 	Warning: Corrosive substances. 88 F-A,S-B Alkalis
 14.7 Transport in bulk according to Ai of Marpol and the IBC Code 	nnex II Not applicable.
• Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
 Transport category Tunnel restriction code 	1 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S (N ' - (3 - A M I N O P R O P Y L) - N , N DIMETHYLPROPANE-1,3-DIAMINE, GRAPHITE 8, I, (E)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H312 Harmful in contact with skin.

(Contd. on page 8)

⁻ ENG -



Printing date 28.10.2015

Version number 17

Revision: 28.10.2015

Trade name: UHU plus black (Härter)

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.	(Contd. of page
Department issuing MSDS: CRD Contact: Frau A. Liar, Herr Dr. C. Hanf Abbreviations and acronyms: Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 * Data compared to the previous version altered.	