

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: UHU PM EXPRESS BK CQ 425G*12 L204
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: Bison QESH
- 1.4 Emergency telephone number: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Adhesive

· Dangerous components:		
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane This is a state of the image of th	2.5-10%
CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45	3-(trimethoxysilyl)propylamine	1-2.5%

EU-EN

(Contd. on page 2)

www.uhu.com 1/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

	(Co	ontd. of page 1)
CAS: 2768-02-7	trimethoxyvinylsilane	≥0.1-<1%
EINECS: 220-449-8	♦ Flam. Liq. 2, H225; ♦ Skin Sens. 1B, H317	
Index number: 014-049-00-0		
Reg.nr.: 01-2119513215-52		
CAS: 52829-07-9	bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	<0.25%
EINECS: 258-207-9	Repr. 2, H361f; 🕎 Eye Dam. 1, H318; 🚯 Aquatic	
Reg.nr.: 01-2119537297-32	Acute 1, H400; Aquatic Chronic 2, H411	
Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

FU-FN

(Contd. on page 3)

www.uhu.com 2/8



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 03.02.2023 Version number 32 (replaces version 31) Printing date 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

Fluid

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state

According to product specification · Colour:

· Odour: Characteristic

Odour threshold: Not determined.

(Contd. on page 4)

EU-EN

www.uhu.com



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

	(Contd. of page
· Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	Not dotominod.
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
	Not determined.
· Solubility	Niek maie eilele en alifficant kannain
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are numerasurable or not relevant for the characterization of the mixture.
· Appearance:	onaractorization of the mixture.
· Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	iui
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	,
Organic solvents:	0.0 %
· Solids content:	74.5 %
	/ 4.0 /0
	74.5 //
· Change in condition	
· Change in condition · Evaporation rate	Not determined.
· Change in condition · Evaporation rate · Information with regard to physical haza	Not determined.
 Change in condition Evaporation rate Information with regard to physical haza classes 	Not determined.
· Change in condition · Evaporation rate · Information with regard to physical haza classes · Explosives	Not determined. rd Void
 Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases 	Not determined. rd Void Void Void
· Change in condition · Evaporation rate · Information with regard to physical haza classes · Explosives · Flammable gases · Aerosols	Not determined. rd Void Void Void Void Void
 Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases 	Not determined. rd Void Void Void
· Change in condition · Evaporation rate · Information with regard to physical haza classes · Explosives · Flammable gases · Aerosols	Not determined. rd Void Void Void Void Void
· Change in condition · Evaporation rate · Information with regard to physical haza classes · Explosives · Flammable gases · Aerosols · Oxidising gases · Gases under pressure	Not determined. rd Void Void Void Void Void Void Void Void
· Change in condition · Evaporation rate · Information with regard to physical haza classes · Explosives · Flammable gases · Aerosols · Oxidising gases	Not determined. rd Void
Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Not determined. rd Void
Change in condition Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Not determined. rd Void

EU-EN

(Contd. on page 5)

www.uhu.com 4/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

(Contd. of page 4)

Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation

Component CAS No. Method Species Conclusion Vinyltrimethoxysilane 2768-02-7 OECD No. 429 mouse, dermal no sensitisation

Serious eye damage/irritation

Component CAS No. Method Species Conclusion
3-Aminopropyl 13822-56-5 BCOP OECD 437 cattle, eye no ocular irritation trimethoxysilane

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.

(Contd. on page 6)

EU-EN

www.uhu.com 5/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

(Contd. of page 5)

- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR/ADN, IMDG, IATA not regulated

· ADN not regulated

· 14.2 UN proper shipping name

· ADR/ADN, ADN, IMDG, IATA not regulated

(Contd. on page 7)

EU-EN

www.uhu.com 6/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

	(Contd. of page
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA	
Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accord	ding to Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
· IMDG · Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified i packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
	· · · · - · · · · · · · · · · · ·

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 8)

EU-EN

www.uhu.com 7/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.02.2023 Version number 32 (replaces version 31) Revision: 03.02.2023

Trade name: UHU PM EXPRESS BK CQ 425G*12 L204

(Contd. of page 7)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Bison QESH

· Contact: Reach coordinator

Date of previous version: 19.01.2022
 Version number of previous version: 31

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 2: Reproductive toxicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

EU-EN

www.uhu.com 8/8